

From: Gilberto Irizarry/DC/USEPA/US
Sent: 2/17/2012 11:22:54 AM
To: Dana Tulis/DC/USEPA/US@EPA
CC: Larry Stanton/DC/USEPA/US@EPA
Subject: Re:

Oh, I see Are we (OEM) going to get an e-mail request for concurrence with the addition of this other home to the provision of water, per our agreed to process ?

Thanks,

Tito

Sent by Blackberry. Please excuse typos.

Gilberto "Tito" Irizarry
Director, Prog. Ops & Coordination Division
Office of Emergency Management
US Environmental Protection Agency - HQ
O: (202) 564-7982
C: (202) 821-8138

----- Original Message -----

From: Dana Tulis
Sent: 02/17/2012 11:04 AM EST
To: Gilberto Irizarry
Cc: Larry Stanton

No problem, I was on, I just couldn't believe the details they were going into. The home will get bottled water, proceeding today due to Arsenic exceedance. The RA will email the Administrator, and the Region will work on a desk statement in case the press calls.

Dana S. Tulis
Deputy Office Director
Office of Emergency Management
Environmental Protection Agency
202-564-8600

From: Gilberto Irizarry/DC/USEPA/US
To: Dana Tulis/DC/USEPA/US@EPA
Date: 02/17/2012 10:42 AM
Subject: Re: EOC Watch Officers Attention: Handling inquiries of EPA Incident Response activities

No, sorry ! I've been running around.

Maybe Larry did.

Tito

Sent by Blackberry. Please excuse typos.

Gilberto "Tito" Irizarry

Director, Prog. Ops & Coordination Division
Office of Emergency Management
US Environmental Protection Agency - HQ
O: (202) 564-7982
C: (202) 821-8138

----- Original Message -----

From: Dana Tulis

Sent: 02/17/2012 10:40 AM EST

To: Gilberto Irizarry

Subject: Re: EOC Watch Officers Attention: Handling inquiries of EPA Incident Response activities
Did you call into the Dimock call, omg!

Dana S. Tulis
Deputy Office Director
Office of Emergency Management
Environmental Protection Agency
202-564-8600